

# **ROMACON**

*Gross price-list 2011*

## ROMACON EURO PRICE-LIST 2011 - RS-O and Snap Clamps

### RS-O

| WP bar | working range / mm | clamp length / mm |       |
|--------|--------------------|-------------------|-------|
|        |                    | 75                | 150   |
| 16     | 19-23              | 18,45             | 36,01 |
| 16     | 25-29              | 18,45             | 36,54 |
| 16     | 32-36              | 19,00             | 36,54 |
| 16     | 38-42              | 19,00             | 36,54 |
| 16     | 40-44              | 19,00             | 36,97 |
| 16     | 46-50              | 19,56             | 37,51 |
| 16     | 54-58              | 19,56             | 37,51 |
| 16     | 60-64              | 20,00             | 38,58 |



Material: stainless steel grade AISI 304

Standard rubber gasket: EPDM, suitable for water

NBR rubber is available at no surcharge

### Snap Clamps

| WP bar | working range / mm | clamp length / mm |       |       |
|--------|--------------------|-------------------|-------|-------|
|        |                    | 75                | 150   | 225   |
| 16     | 15-22              | 7,34              | 14,89 | 22,02 |
| 16     | 21-25              | 7,02              | 14,04 | 21,05 |
| 16     | 26-30              | 7,29              | 14,58 | 21,86 |
| 16     | 33-37              | 7,50              | 15,00 | 22,50 |
| 16     | 37-41              | 7,56              | 15,11 | 22,66 |
| 16     | 42-45              | 7,61              | 15,22 | 22,83 |
| 16     | 48-51              | 7,72              | 15,43 | 23,14 |
| 16     | 50-54              | 7,81              | 15,65 | 23,47 |
| 16     | 55-58              | 7,93              | 15,86 | 23,79 |
| 16     | 60-64              | 8,04              | 16,08 | 24,11 |
| 16     | 62-66              | 8,25              | 16,51 | 24,76 |
| 16     | 65-69              | 8,47              | 16,72 | 25,40 |
| 16     | 69-73              | 8,68              | 17,36 | 26,04 |
| 16     | 71-76              | 9,27              | 18,54 | 27,81 |
| 16     | 74-80              | 9,48              | 18,97 | 28,45 |
| 16     | 87-93              | 9,81              | 19,61 | 29,42 |
| 16     | 94-100             | 10,02             | 20,04 | 30,06 |
| 16     | 99-104             | 10,29             | 20,57 | 30,87 |
| 16     | 105-111            | 11,85             | 23,68 | 35,53 |
| 10     | 112-117            | 12,05             | 24,11 | 36,17 |
| 10     | 115-121            | 12,37             | 24,76 | 37,13 |
| 10     | 120-126            | 12,59             | 25,18 | 37,77 |
| 10     | 126-131            | 12,86             | 25,72 | 38,58 |
| 10     | 131-136            | 13,29             | 26,58 | 39,86 |
| 10     | 139-145            | 13,61             | 27,22 | 40,83 |
| 10     | 156-162            | 14,74             | 29,47 | 44,21 |
| 10     | 167-173            | 15,38             | 30,75 | 46,13 |
| 10     | 173-179            | 16,18             | 32,36 | 48,54 |
| 10     | 200-206            | 16,93             | 33,86 | 50,80 |
| 10     | 217-223            | 18,97             | 37,93 | 56,91 |
| 10     | 223-229            | 21,00             | 42,01 | 63,01 |
| 6      | 272-278            | 23,04             | 46,09 | 69,13 |
| 6      | 323-329            | 25,08             | 50,15 | 75,23 |



Material: only available in stainless steel grade AISI 304

Lugs: ductile iron (sheradized)

Standard rubber gasket: EPDM, suitable for water / NBR on request

## ROMACON EURO PRICE-LIST 2011 - RS-C

| WP<br>bar | DN  | working<br>range / mm | clamp length / mm |       |       |
|-----------|-----|-----------------------|-------------------|-------|-------|
|           |     |                       | 100               | 150   | 200   |
| 16        |     | 19-23                 | 16,19             |       |       |
| 16        |     | 25-29                 | 16,29             |       |       |
| 16        |     | 32-36                 | 16,72             |       |       |
| 16        |     | 38-42                 | 16,72             |       |       |
| 16        |     | 44-51                 | 16,82             |       |       |
| 16        | 40  | 48-55                 | 17,25             |       |       |
| 16        |     | 54-58                 | 17,37             |       |       |
| 16        | 50  | 60-64                 | 17,47             | 31,94 |       |
| 16        |     | 63-70                 | 17,79             | 32,37 |       |
| 16        |     | 67-74                 | 17,90             | 32,47 |       |
| 16        | 65  | 70-77                 | 17,90             | 32,47 |       |
| 16        |     | 73-80                 | 17,90             | 32,47 |       |
| 16        |     | 75-83                 | 17,90             | 32,47 |       |
| 16        |     | 82-90                 | 17,90             | 32,47 |       |
| 16        | 80  | 87-97                 | 18,22             | 32,80 |       |
| 16        |     | 95-104                | 18,54             | 33,23 | 36,33 |
| 16        |     | 98-108                | 18,97             | 34,08 | 39,33 |
| 16        |     | 102-112               | 20,15             | 36,23 | 40,29 |
| 16        | 100 | 108-118               | 20,15             | 36,23 | 40,62 |
| 16        |     | 113-123               | 20,15             | 36,23 | 40,62 |
| 16        |     | 118-128               | 20,47             | 36,76 | 40,62 |
| 16        |     | 120-131               | 20,47             | 36,76 | 40,62 |
| 16        |     | 125-135               | 20,47             | 36,76 | 40,62 |
| 16        | 125 | 133-144               |                   | 38,47 | 43,72 |
| 16        |     | 139-150               |                   | 38,47 | 43,72 |
| 16        |     | 145-155               |                   | 38,47 | 44,68 |
| 16        | 150 | 151-161               |                   | 40,29 | 45,44 |
| 16        |     | 159-170               |                   | 40,29 | 45,44 |
| 16        |     | 165-175               |                   | 40,62 | 45,44 |
| 16        |     | 168-180               |                   | 40,62 | 45,44 |
| 10        |     | 176-186               |                   | 41,05 | 49,40 |
| 10        |     | 180-191               |                   |       | 50,05 |
| 10        |     | 193-203               |                   |       | 51,11 |
| 10        |     | 200-210               |                   |       | 53,69 |
| 10        | 200 | 209-220               |                   |       | 53,69 |



Material: only available in stainless steel grade AISI 304

Standard rubber gasket: EPDM, suitable for water / EPDM-HT / NBR / VITON on request

NBR rubber is available at no surcharge

## ROMACON EURO PRICE-LIST 2011 - Repair Clamp RS-1

| WP<br>bar | DN  | working<br>range / mm | clamp length / mm |       |        |        |        |        |        |
|-----------|-----|-----------------------|-------------------|-------|--------|--------|--------|--------|--------|
|           |     |                       | 150               | 200   | 250    | 300    | 400    | 500    | 600    |
| 16        |     | 44-51                 | 36,97             | 39,54 |        |        |        |        |        |
| 16        | 40  | 48-55                 | 36,97             | 39,54 |        |        |        |        |        |
| 16        |     | 52-59                 | 36,97             | 39,54 |        |        |        |        |        |
| 16        | 50  | 57-64                 | 37,51             | 40,08 |        |        |        |        |        |
| 16        |     | 60-67                 | 37,51             | 40,08 | 50,37  | 60,76  |        |        |        |
| 16        |     | 63-70                 | 38,15             | 41,15 | 51,97  | 62,80  | 83,38  |        |        |
| 16        |     | 67-74                 | 38,15             | 41,68 | 52,52  | 62,80  | 83,38  |        |        |
| 16        | 65  | 70-77                 | 38,15             | 41,68 | 52,52  | 62,80  | 83,38  |        |        |
| 16        |     | 73-80                 | 38,15             | 41,68 | 52,94  | 63,34  | 83,81  |        |        |
| 16        |     | 75-83                 | 38,15             | 41,68 | 52,94  | 63,34  | 83,81  |        |        |
| 16        |     | 82-90                 | 38,15             | 42,11 | 61,19  | 63,77  | 84,34  |        |        |
| 16        | 80  | 87-97                 | 38,58             | 42,11 | 61,73  | 63,77  | 84,34  |        |        |
| 16        |     | 95-104                | 39,11             | 42,66 | 62,15  | 63,77  | 84,34  |        |        |
| 16        |     | 98-108                | 40,08             | 46,29 | 67,40  | 67,83  | 90,02  |        |        |
| 16        |     | 102-112               | 42,66             | 47,37 | 68,91  | 69,98  | 91,63  |        |        |
| 16        | 100 | 108-118               | 42,66             | 47,80 | 68,91  | 71,59  | 95,16  | 118,84 |        |
| 16        |     | 113-123               | 42,66             | 47,80 | 68,91  | 72,01  | 95,59  | 123,45 |        |
| 16        |     | 118-128               | 43,29             | 47,80 | 68,91  | 72,01  | 95,59  | 123,45 |        |
| 16        |     | 120-131               | 43,29             | 47,80 | 68,91  | 72,01  | 95,59  | 123,45 |        |
| 16        |     | 125-135               | 43,29             | 47,80 | 68,91  | 72,01  | 95,59  | 123,45 |        |
| 16        | 125 | 133-144               | 45,23             | 51,44 | 69,98  | 78,23  | 98,27  | 128,60 |        |
| 16        |     | 139-150               | 45,23             | 51,44 | 69,98  | 78,23  | 98,27  | 128,60 |        |
| 16        |     | 145-155               | 46,29             | 52,52 | 70,40  | 78,66  | 98,70  | 132,13 |        |
| 16        | 150 | 151-161               | 47,37             | 53,48 | 71,59  | 80,26  | 100,31 | 133,74 |        |
| 16        |     | 159-170               | 47,37             | 53,48 | 71,59  | 80,26  | 100,31 | 133,74 |        |
| 16        |     | 165-175               | 47,80             | 53,48 | 71,59  | 80,81  | 101,27 | 135,78 |        |
| 16        |     | 168-180               | 47,80             | 53,48 | 71,59  | 80,81  | 101,27 | 135,78 |        |
| 10        |     | 176-186               |                   | 58,09 | 76,41  | 87,12  | 118,20 | 147,68 |        |
| 10        | 175 | 180-191               |                   | 58,83 | 77,59  | 88,73  | 120,24 | 150,13 |        |
| 10        |     | 193-203               |                   | 60,12 | 80,05  | 89,59  | 122,27 | 152,28 |        |
| 10        |     | 200-210               |                   | 63,12 | 85,52  | 95,27  | 128,39 | 160,54 |        |
| 10        | 200 | 209-220               |                   | 63,12 | 85,52  | 95,27  | 128,39 | 160,54 |        |
| 10        |     | 215-226               |                   | 63,12 | 85,52  | 95,27  | 128,39 | 160,64 |        |
| 10        |     | 219-230               |                   | 66,23 | 91,73  | 99,34  | 138,56 | 173,18 |        |
| 10        |     | 222-233               |                   | 66,23 | 91,73  | 99,34  | 138,56 | 173,18 | 198,69 |
| 10        |     | 228-240               |                   | 68,26 | 96,77  | 105,98 | 143,70 | 179,40 | 211,98 |
| 10        |     | 243-253               |                   | 70,30 | 99,34  | 111,98 | 146,70 | 183,46 | 224,19 |
| 10        |     | 252-262               |                   | 74,81 | 113,16 | 126,35 | 160,97 | 201,26 | 252,70 |
| 10        |     | 261-271               |                   | 75,98 | 114,56 | 135,56 | 182,40 | 228,26 | 271,01 |
| 10        | 250 | 271-281               |                   | 75,98 | 114,56 | 135,56 | 182,40 | 228,26 | 271,01 |
| 10        |     | 280-290               |                   | 75,98 | 114,56 | 135,56 | 182,40 | 228,26 | 271,01 |
| 10        |     | 294-304               |                   | 75,98 | 114,56 | 135,56 | 182,40 | 228,26 | 271,01 |
| 10        | 300 | 315-326               |                   | 81,44 | 117,24 | 141,56 | 186,04 | 232,33 | 283,24 |
| 10        |     | 320-330               |                   | 81,44 | 117,24 | 143,17 | 186,04 | 232,33 | 283,24 |
| 10        |     | 324-334               |                   | 81,44 | 117,24 | 143,17 | 186,04 | 232,33 | 283,24 |
| 10        |     | 335-346               |                   | 83,37 | 118,63 | 143,17 | 188,93 | 236,41 | 286,34 |



Material: stainless steel grade AISI 304 / AISI 316 on request

Standard rubber gasket: EPDM, suitable for water / EPDM-HT / NBR / VITON on request

NBR rubber is available at no surcharge

## ROMACON EURO PRICE-LIST 2011 - Repair Clamp RS-2

| WP bar | DN  | working range / mm | clamp length / mm |        |        |        |        |        |        |  |
|--------|-----|--------------------|-------------------|--------|--------|--------|--------|--------|--------|--|
|        |     |                    | 200               | 250    | 300    | 400    | 500    | 600    |        |  |
| 16     | 80  | 88-110             | 72,98             | 106,95 | 110,59 | 151,74 | 189,79 |        |        |  |
| 16     | 100 | 108-128            | 74,16             | 108,55 | 113,70 | 155,39 | 194,50 |        |        |  |
| 16     |     | 112-134            | 75,12             | 111,13 | 121,96 | 156,89 | 195,90 |        |        |  |
| 16     |     | 120-140            | 77,16             | 113,70 | 124,53 | 161,07 | 201,14 |        |        |  |
| 16     | 125 | 133-155            | 79,20             | 119,81 | 126,02 | 165,57 | 207,26 |        |        |  |
| 16     |     | 138-160            | 80,26             | 120,88 | 128,06 | 172,32 | 215,51 |        |        |  |
| 16     | 150 | 158-180            | 91,09             | 133,21 | 144,03 | 195,90 | 245,41 |        |        |  |
| 16     |     | 168-190            | 94,63             | 140,39 | 145,53 | 197,51 | 246,91 |        |        |  |
| 10     | 175 | 190-210            | 96,24             | 143,17 | 149,28 | 204,79 | 256,34 |        |        |  |
| 10     |     | 195-217            | 99,34             | 147,25 | 152,28 | 208,86 | 261,38 |        |        |  |
| 10     | 200 | 210-230            | 99,34             | 147,25 | 152,28 | 208,86 | 261,38 |        |        |  |
| 10     |     | 216-238            | 102,88            | 148,21 | 153,35 | 211,33 | 264,38 |        |        |  |
| 10     |     | 225-246            | 105,02            | 151,32 | 157,42 | 216,58 | 275,63 |        |        |  |
| 10     |     | 238-260            | 105,02            | 151,32 | 157,42 | 216,58 | 275,63 |        |        |  |
| 10     |     | 251-271            | 107,49            | 195,57 | 205,86 | 251,09 | 324,49 |        |        |  |
| 10     | 250 | 273-293            | 114,13            | 196,65 | 207,14 | 264,38 | 355,68 |        |        |  |
| 10     |     | 295-315            | 115,10            | 198,14 | 208,86 | 264,91 | 358,58 |        |        |  |
| 10     | 300 | 314-335            |                   | 203,08 | 214,98 | 269,52 | 373,36 | 420,73 |        |  |
| 10     |     | 322-344            |                   | 205,97 | 217,00 | 272,52 | 386,11 | 435,51 |        |  |
| 10     |     | 334-354            |                   | 205,97 | 217,00 | 272,52 | 386,11 | 435,51 |        |  |
| 10     |     | 340-360            |                   | 205,97 | 217,00 | 272,52 | 386,11 | 435,51 |        |  |
| 10     | 350 | 348-368            |                   |        | 223,65 | 281,73 | 398,87 | 447,31 |        |  |
| 10     |     | 365-385            |                   |        | 223,65 | 281,73 | 398,87 | 447,31 |        |  |
| 10     |     | 376-396            |                   |        | 233,29 | 294,49 | 410,65 | 466,70 |        |  |
| 10     |     | 390-410            |                   |        | 233,29 | 294,49 | 410,65 | 466,70 |        |  |
| 10     | 400 | 404-424            |                   |        | 235,86 | 296,52 | 412,16 | 471,74 |        |  |
| 10     |     | 420-440            |                   |        | 241,55 | 302,10 | 420,73 | 482,89 | 604,19 |  |
| 10     |     | 440-460            |                   |        |        | 306,59 | 432,51 | 486,52 | 613,20 |  |
| 10     | 450 | 457-477            |                   |        |        | 316,88 | 442,16 | 488,56 | 633,77 |  |
| 10     |     | 468-488            |                   |        |        | 319,45 | 445,27 | 489,52 | 638,92 |  |
| 10     |     | 488-508            |                   |        |        | 322,57 | 448,80 | 490,60 | 644,92 |  |
| 10     | 500 | 500-520            |                   |        |        | 325,45 | 450,95 | 491,67 | 651,02 |  |
| 6      |     | 520-540            |                   |        |        | 333,17 | 457,48 | 496,71 | 661,31 |  |
| 6      | 550 | 545-565            |                   |        |        | 337,25 | 461,56 | 499,81 | 674,49 |  |
| 6      |     | 568-588            |                   |        |        | 338,74 | 464,02 | 503,03 | 680,50 |  |
| 6      |     | 586-606            |                   |        |        | 340,78 | 467,02 | 505,49 | 684,67 |  |
| 6      | 600 | 600-620            |                   |        |        | 342,60 | 469,27 | 506,89 | 686,81 |  |
| 6      |     | 625-645            |                   |        |        | 346,57 | 473,13 | 510,53 | 689,93 |  |
| 4      | 700 | 705-725            |                   | *      |        |        |        | 545,25 | 728,50 |  |
| 4      |     | 730-750            |                   | *      |        |        |        | 545,25 | 728,50 |  |
| 4      | 750 | 755-775            |                   | *      |        |        |        | 579,49 | 770,40 |  |
| 3      | 800 | 805-825            |                   | *      |        |        |        | 638,70 | 844,45 |  |
| 3      |     | 835-855            |                   | *      |        |        |        | 638,70 | 844,45 |  |



Material: stainless steel grade AISI 304 / AISI 316 on request

Standard rubber gasket: EPDM, suitable for water / EPDM-HT / NBR / VITON on request

NBR rubber is available at no surcharge

\* Working pressure is an indication. Please contact us for more information.

## ROMACON EURO PRICE-LIST 2011 - Repair Clamp RS-3

| WP<br>bar | working<br>range / mm | clamp length / mm |        |        |        |         |
|-----------|-----------------------|-------------------|--------|--------|--------|---------|
|           |                       | 300               | 400    | 500    | 600    | 750     |
| 10        | 267-297               | 292,56            | 416,87 |        |        |         |
| 10        | 300-330               | 307,02            | 439,48 |        |        |         |
| 10        | 323-353               | 312,38            | 446,55 |        |        |         |
| 10        | 352-382               | 319,14            | 456,19 | 562,61 |        |         |
| 10        | 378-408               | 325,67            | 461,34 | 569,58 |        |         |
| 10        | 402-432               | 329,43            | 465,62 | 583,93 |        |         |
| 10        | 429-459               | 334,46            | 466,38 | 590,58 |        |         |
| 10        | 456-486               | 339,71            | 468,62 | 597,55 | 623,81 |         |
| 10        | 490-520               | 341,10            | 475,91 | 606,01 | 632,27 |         |
| 10        | 520-550               | 346,35            | 485,03 | 613,94 | 654,66 |         |
| 6         | 532-562               |                   | 485,99 | 615,12 | 657,45 |         |
| 6         | 545-575               |                   | 487,54 | 616,51 | 659,17 | 898,03  |
| 6         | 570-600               |                   | 528,86 | 657,66 | 700,53 | 935,54  |
| 6         | 586-616               |                   |        | 655,84 | 705,46 | 941,00  |
| 6         | 609-639               |                   |        | 660,78 | 709,64 | 946,57  |
| 6         | 615-645               |                   |        | 662,70 | 712,42 | 949,47  |
| 4         | 633-663               |                   |        | 663,35 | 713,28 | 951,94  |
| 4         | 654-684               |                   |        | 679,42 | 730,53 | 973,58  |
| 4         | 702-732               |                   |        |        | 735,68 | 981,62  |
| 4         | 711-741               |                   |        |        | 738,68 | 984,84  |
| 4         | 747-777               |                   |        |        | 745,86 | 996,62  |
| 4         | 780-810               | *                 |        |        | 755,51 | 1007,34 |
| 3         | 813-843               | *                 |        |        | 758,72 | 1011,63 |
| 2         | 852-882               | *                 |        |        | 763,01 | 1015,91 |
| 2         | 864-894               | *                 |        |        | 766,23 | 1021,28 |
| 2         | 900-930               | *                 |        |        | 769,44 | 1025,56 |
| 2         | 925-955               | *                 |        |        | 776,94 | 1035,20 |
| 2         | 945-975               | *                 |        |        | 784,44 | 1044,85 |
| 2         | 970-1000              | *                 |        |        | 793,01 | 1055,57 |



Material: stainless steel grade AISI 304 / AISI 316 on request

Standard rubber gasket: EPDM, suitable for water / EPDM-HT / NBR / VITON on request

NBR rubber is available at no surcharge

\* Working pressure is an indication. Please contact us for more information.

## ROMACON EURO PRICE-LIST 2011 - Emergency Repair Set

| Section           | Price 400 mm |
|-------------------|--------------|
| A                 | € 115,10     |
| B                 | € 126,35     |
| C                 | € 135,56     |
| D                 | € 137,49     |
| E                 | € 157,96     |
|                   |              |
| <b>Wooden box</b> | € 173,18     |
|                   |              |
| <b>Total</b>      | € 845,64     |

| Range   | WP Bar |     |
|---------|--------|-----|
|         | Water  | Gas |
| 88-271  | 16     | 6   |
| 272-374 | 10     | 4   |
| 365-545 | 10     | 3   |
| 546-632 | 6      | 1   |
| 632-669 | 4      | 0,5 |
| 669-780 | 2      | 0,5 |

The working pressure is identical to RS-2 clamps

The ERS can be used for the repair of pipes between OD 88 mm and 780 mm

Material: stainless steel grade AISI 304 / AISI 316 on request

Standard rubber gasket: EPDM, suitable for water / EPDM-HT / NBR / VITON on request

Note: standard length is 400 mm

Bolts Standard M16 - Pitch 75mm

Other Bolt and Pitch available on request



## ROMACON EURO PRICE-LIST 2011 - DTS Saddles

### DTS (Ductile Iron Tapping Saddle)

| DN      | working*<br>range / mm | Price/ea<br>€ |
|---------|------------------------|---------------|
| 50      | 58-72**                | 41,26         |
| 60      | 72-82**                | 41,80         |
| 80      | 82-102**               | 42,01         |
| 80      | 88-108**               | 42,33         |
| 100     | 106-130                | 47,26         |
| 125     | 129-158**              | 47,69         |
| 150     | 159-186                | 53,58         |
| 175     | 184-210                | 60,44         |
| 200     | 211-244                | 61,40         |
| 250     | 264-298                | 65,38         |
| 300     | 315-358                | 66,44         |
| 325-600 | On request             | On request    |



Available Service outlets:

1/2" up to including 2"

1.1/2 " Polva or 2" Polva

Saddle top material: high grade Ductile Iron GGG 50, epoxy coated

Strap Material: stainless steel grade AISI 304

Strap width 60 mm, EPDM band

Standard rubber gasket: NBR suitable for water and gas.

\* other working ranges are available on request

\*\* 2" / Polva 2" not possible on these ranges

## ROMACON EURO PRICE-LIST 2011 - DFTS Saddles

### DFTS (Ductile Flanged Tapping Saddle)

| DN  | Flange DN 40 | Flange DN 50 | Flange DN 80 | Flange DN 100 |
|-----|--------------|--------------|--------------|---------------|
| 80  | 127,53       | 129,67       | 189,69       | 191,83        |
| 100 | 129,67       | 131,82       | 191,83       | 193,97        |
| 125 | 131,82       | 133,96       | 193,97       | 196,11        |
| 150 | 133,96       | 136,10       | 196,11       | 198,26        |
| 175 | 136,10       | 138,25       | 198,26       | 200,40        |
| 200 | 138,25       | 140,39       | 200,40       | 202,54        |
| 225 | 140,39       | 142,53       | 202,54       | 204,69        |
| 250 | 142,53       | 144,68       | 204,69       | 206,83        |
| 275 | 144,68       | 146,82       | 206,83       | 208,97        |
| 300 | 146,82       | 148,96       | 208,97       | 211,12        |
| 350 | 148,96       | 151,11       | 211,12       | 213,26        |
| 400 | 151,11       | 153,25       | 213,26       | 215,40        |
| 450 | 153,25       | 155,39       | 215,40       | 217,55        |
| 500 | 155,39       | 157,54       | 217,55       | 219,69        |

Flange DN 40 and DN 50



1 strap

Flange DN 80 and DN 100



2 straps

Material Ductile Iron GGG 50

Coating: Epoxy

Strap material stainless steel AISI 304

Strap width 60 mm

## ROMACON EURO PRICE-LIST 2011 - Saddles SSS

### SSS

| WP<br>bar | working*<br>range / mm | outlet size in inches |       |       |       |       |       | extra for rubber<br>strap lining |
|-----------|------------------------|-----------------------|-------|-------|-------|-------|-------|----------------------------------|
|           |                        | 1/2                   | 3/4   | 1     | 1 1/4 | 1 1/2 | 2     |                                  |
| 16        | 68-78                  | 40,72                 | 42,44 | 45,11 | 0,00  | 0,00  | 0,00  | 0,75                             |
| 16        | 88-110                 | 41,26                 | 42,44 | 45,11 | 51,23 | 0,00  | 0,00  | 0,75                             |
| 16        | 108-134                | 41,26                 | 42,44 | 45,11 | 51,23 | 54,97 | 58,30 | 0,75                             |
| 16        | 133-155                | 41,26                 | 42,44 | 45,11 | 51,23 | 54,97 | 58,30 | 0,75                             |
| 16        | 159-181                | 41,80                 | 42,97 | 45,66 | 51,76 | 55,52 | 58,83 | 1,29                             |
| 16        | 168-190                | 41,80                 | 42,97 | 45,66 | 51,76 | 55,52 | 58,83 | 1,29                             |
| 16        | 190-212                | 42,44                 | 43,51 | 46,29 | 52,30 | 56,05 | 59,37 | 1,29                             |
| 16        | 216-238                | 47,37                 | 48,44 | 51,23 | 57,23 | 61,09 | 64,30 | 2,57                             |
| 16        | 238-260                | 47,37                 | 48,44 | 51,23 | 57,23 | 61,09 | 64,30 | 2,57                             |
| 16        | 267-289                | 47,90                 | 49,51 | 51,76 | 57,76 | 61,62 | 64,95 | 2,79                             |
| 16        | 324-346                | 81,02                 | 82,73 | 84,87 | 90,87 | 94,73 | 98,06 | 5,57                             |
| 16        | 356-378                | 81,77                 | 82,73 | 85,63 | 91,52 | 95,59 | 98,81 | 5,90                             |



Material: stainless steel grade AISI 304 / AISI 316 on request

Standard rubber gasket: NBR / EPDM on request

Up to incl range 267-289 has 1 strap and above 2 straps

Strap width 50 mm

## ROMACON EURO PRICE-LIST 2011 - Tapping Sleeve SST (Clamp body Only)

| WP bar | DN    | working range type 1 | body length |        |        |        |        |        |
|--------|-------|----------------------|-------------|--------|--------|--------|--------|--------|
|        |       |                      | 200         | 300    | 400    | 500    | 600    | 750    |
| 16     | 65/80 | 87-97                |             |        |        |        |        |        |
| 16     | 80    | 95-104               | 72,98       | 110,59 | 151,74 | 189,79 |        |        |
| 16     |       | 98-108               | 72,98       | 110,59 | 151,74 | 189,79 |        |        |
| 16     |       | 102-112              | 72,98       | 110,59 | 151,74 | 189,79 |        |        |
| 16     | 100   | 108-118              | 77,16       | 124,53 | 161,07 | 201,14 |        |        |
| 16     |       | 113-123              | 77,16       | 124,53 | 161,07 | 201,14 |        |        |
| 16     |       | 118-128              | 77,16       | 124,53 | 161,07 | 201,14 |        |        |
| 16     |       | 120-131              | 77,16       | 124,53 | 161,07 | 201,14 |        |        |
| 16     | 125   | 125-135              | 80,26       | 128,06 | 172,32 | 215,51 |        |        |
| 16     |       | 133-144              | 80,26       | 128,06 | 172,32 | 215,51 |        |        |
| 16     |       | 139-150              | 80,26       | 128,06 | 172,32 | 215,51 |        |        |
| 16     |       | 145-155              | 80,26       | 128,06 | 172,32 | 215,51 |        |        |
| 16     | 150   | 151-161              | 94,63       | 145,53 | 197,51 | 246,91 |        |        |
| 16     |       | 159-170              | 94,63       | 145,53 | 197,51 | 246,91 |        |        |
| 16     |       | 165-175              | 94,63       | 145,53 | 197,51 | 246,91 |        |        |
| 16     |       | 168-180              | 94,63       | 145,53 | 197,51 | 246,91 |        |        |
| 16     |       | 176-186              | 94,63       | 145,53 | 197,51 | 246,91 |        |        |
| 16     |       | 180-191              | 94,63       | 145,53 | 197,51 | 246,91 |        |        |
| 16     | 175   | 193-203              | 99,34       | 152,28 | 208,86 | 261,38 |        |        |
| 16     |       | 200-210              | 99,34       | 152,28 | 208,86 | 261,38 |        |        |
| 16     |       | 209-220              | 99,34       | 152,28 | 208,86 | 261,38 |        |        |
| 16     | 200   | 215-226              | 105,02      | 157,42 | 216,58 | 275,63 |        |        |
| 16     |       | 219-230              | 105,02      | 157,42 | 216,58 | 275,63 |        |        |
| 16     |       | 222-233              | 105,02      | 157,42 | 216,58 | 275,63 |        |        |
| 16     |       | 228-240              | 105,02      | 157,42 | 216,58 | 275,63 |        |        |
| 16     |       | 243-253              | 105,02      | 157,42 | 216,58 | 275,63 |        |        |
| 16     | 225   | 252-262              | 105,02      | 157,42 | 216,58 | 275,63 |        |        |
| 16     |       | 261-271              | 105,02      | 157,42 | 216,58 | 275,63 |        |        |
| 16     | 250   | 271-281              | 115,10      | 208,86 | 264,91 | 358,58 |        |        |
| 16     |       | 280-290              | 115,10      | 208,86 | 264,91 | 358,58 |        |        |
| 16     |       | 294-304              | 115,10      | 208,86 | 264,91 | 358,58 |        |        |
| 16     | 300   | 315-326              |             | 217,00 | 272,52 | 386,11 | 435,51 |        |
| 16     |       | 320-330              |             | 217,00 | 272,52 | 386,11 | 435,51 |        |
| 16     |       | 324-334              |             | 217,00 | 272,52 | 386,11 | 435,51 |        |
| 16     |       | 335-346              |             | 217,00 | 272,52 | 386,11 | 435,51 |        |
| 16     | 350   | to be advised        |             | 235,86 | 296,52 | 412,16 | 471,74 |        |
| 16     | 400   | to be advised        |             |        | 316,88 | 442,16 | 488,56 | 633,77 |
| 16     | 450   | to be advised        |             |        | 322,57 | 448,80 | 490,60 | 644,92 |
| 16     | 500   | to be advised        |             |        | 337,25 | 461,56 | 499,81 | 674,49 |
| 10     | 600   | to be advised        |             |        | 346,57 | 473,13 | 510,53 | 689,93 |
|        | 700   | to be advised        |             |        | 374,01 | 504,75 | 545,25 | 728,50 |
|        | 750   | to be advised        |             |        |        | 533,68 | 579,49 | 770,40 |
|        | 800   | to be advised        |             |        |        | 588,33 | 638,70 | 844,45 |



To obtain the total product price please add the surcharge for the branch and flange (see separate price list)

Material: stainless steel grade AISI 304 / AISI 316 on request

Standard rubber gasket: EPDM, suitable for water / EPDM-HT / NBR / VITON on request

**Note: The SST tapping sleeves are also available in a range of 20 mm.**

**Please contact us for more details about the exact ranges and possibilities**

## ROMACON EURO PRICE-LIST 2011 - Threaded outlets and flanges

### Surcharge for threaded outlet

| Diameter in inches | price | polva socket |
|--------------------|-------|--------------|
| 1/2                | 14,25 |              |
| 3/4                | 15,76 |              |
| 1                  | 18,33 |              |
| 1 1/4              | 22,39 |              |
| 1 1/2              | 24,54 | 33,76        |
| 2                  | 28,08 | 33,76        |
| 2 1/2              | 44,37 |              |
| 3                  | 58,09 |              |
| 4                  | 88,63 |              |

Material: stainless steel grade AISI 304 / AISI 316 on request

Sockets are threaded to ISO 7, BSP

To obtain the list price of the tapping clamp, the surcharge for the socket is to be added to the price of the standard clamp.

### Surcharge for SST branch and flange

| branch DN | required body length | price  | flange drilling |
|-----------|----------------------|--------|-----------------|
| 50        |                      | 151,74 | PN 10/16        |
| 65        | 300                  | 155,39 | PN 10/16        |
| 80        | 300 (400)*           | 168,14 | PN 10/16        |
| 100       | 400                  | 196,11 | PN 10/16        |
| 125       | 400                  | 249,70 | PN 10/16        |
| 150       | 400                  | 266,95 | PN 10/16        |
| 200       | 500                  | 353,54 | PN 10           |
| 250       | 600                  | 492,10 | PN 10           |
| 300       | 750                  | 608,69 | PN 10           |



\* If POD > 300 body length should be 400 mm

Material: stainless steel grade AISI 304 / AISI 316 on request

# ROMACON EURO PRICE-LIST 2011 - Inserts

## Inserts with wedge

| PE pipe size | length mm | price |
|--------------|-----------|-------|
| 63 x 3,6     | 175       | 15,65 |
| 63 x 5,8-5,1 | 175       | 15,65 |
| 63 x 8,6     | 175       | 15,65 |

|              |     |       |
|--------------|-----|-------|
| 75 x 4,3     | 175 | 16,39 |
| 75 x 6,8-6,5 | 175 | 16,39 |
| 75 x 10,3    | 175 | 16,39 |

|              |     |       |
|--------------|-----|-------|
| 90 x 2,7-2,2 | 175 | 17,57 |
| 90 x 5,4-5,1 | 175 | 17,57 |
| 90 x 8,2-7,8 | 175 | 17,57 |
| 90 x 12,3    | 175 | 17,57 |

|                    |     |       |
|--------------------|-----|-------|
| 110x 6,6-6,3       | 175 | 18,76 |
| 110 x 10,0-9,5-9,1 | 175 | 18,76 |
| 110 x 15,1         | 175 | 18,76 |

|               |     |       |
|---------------|-----|-------|
| 125 x 3,7-3,1 | 175 | 19,72 |
| 125 x 7,4-7,1 | 175 | 19,72 |
| 125 x 11,4    | 175 | 19,72 |

|            |     |       |
|------------|-----|-------|
| 140 x 12,8 | 175 | 21,97 |
| 140 x 8,0  | 175 | 21,97 |

|               |     |       |
|---------------|-----|-------|
| 160 x 4,5-3,9 | 200 | 25,19 |
| 160 x 9,5-9,1 | 200 | 25,19 |
| 160 x 14,6    | 200 | 25,19 |

|                 |     |       |
|-----------------|-----|-------|
| 180 x 6,0       | 200 | 26,25 |
| 180 x 10,7-10,2 | 200 | 26,25 |
| 180 x 16,4      | 200 | 26,25 |

|                 |     |       |
|-----------------|-----|-------|
| 200 x 6,9       | 200 | 27,33 |
| 200 x 11,9-11,4 | 200 | 27,33 |
| 200 x 18,2      | 200 | 27,33 |

Material: stainless steel grade AISI 304

Other sizes are available on request

\* Non standard dimensions and less than 10 pcs for each size, extra machine costs are euro 75,00 net.

| PE pipe size    | length mm | price |
|-----------------|-----------|-------|
| 225 x 6,3-5,5   | 225       | 32,15 |
| 225 x 13,4-12,8 | 225       | 32,15 |
| 225 x 20,5      | 225       | 32,15 |

|                 |     |       |
|-----------------|-----|-------|
| 250 x 9,6       | 225 | 34,29 |
| 250 x 14,8-14,2 | 225 | 34,29 |
| 250 x 22,7      | 225 | 34,29 |

|                 |     |       |
|-----------------|-----|-------|
| 280 x 8,7       | 225 |       |
| 280 x 16,6-15,9 | 225 | 36,97 |
| 280 x 25,4      | 225 | 36,97 |

|            |     |       |
|------------|-----|-------|
| 315 x 9,2  | 225 | 43,94 |
| 315 x 12,4 | 225 | 43,94 |
| 315 x 17,9 | 225 | 43,94 |
| 315 x 18,7 | 225 | 43,94 |
| 315 x 28,6 | 225 | 43,94 |

|            |     |       |
|------------|-----|-------|
| 355 x 20,1 | 225 | 84,69 |
| 355 x 32,3 | 225 | 84,69 |
| 355 x 35,0 | 225 | 84,69 |
| 355 x 40,0 | 225 | 84,69 |

|                 |     |       |
|-----------------|-----|-------|
| 400 x 12,4      | 225 | 92,00 |
| 400 x 15,4      | 225 | 92,00 |
| 400 x 20,5      | 225 | 92,00 |
| 400 x 22,7-23,7 | 225 | 92,00 |
| 400 x 36,4      | 225 | 92,00 |

|            |     |        |
|------------|-----|--------|
| 450 x 22,5 | 225 | 101,41 |
| 450 x 25,2 | 225 | 101,41 |
| 450 x 25,5 | 225 | 101,41 |
| 450 x 26,7 | 225 | 101,41 |

|        |   |        |
|--------|---|--------|
| 500 *  | - | 108,73 |
| 560 *  | - | 133,82 |
| 630 *  | - | 143,23 |
| 710 *  | - | 154,73 |
| 800 *  | - | 184,01 |
| 900 *  | - | 197,60 |
| 1000 * | - | 211,19 |
| 1200 * | - | 241,51 |
| 1400 * | - | 269,74 |
| 1600 * | - | 296,92 |



# ROMACON EURO PRICE-LIST 2011

## Ductile Iron Couplings and Flange adaptors

### Couplings-wide range

| DN mm | DN inches | Range Romafit | Weight kg | Price Romafit |
|-------|-----------|---------------|-----------|---------------|
| 50    | 2         | 59-73         | 3,8       | 50,37         |
| 65    | 2,5       | 72-85         | 4,3       | 54,23         |
| 80    | 3         | 88-103        | 4,5       | 61,73         |
| 100   | 4         | 108-128       | 5,6       | 73,95         |
| 125   | 5         | 132-146       | 6,8       | 101,81        |
| 125   | 5         | 139-153       | 6,9       | 101,81        |
| 150   | 6         | 159-182       | 8,5       | 97,52         |
| 175   | 7         | 192-209       | 9,2       | 163,97        |
| 200   | 8         | 218-235       | 9,8       | 131,82        |
| 225   | 9         | 250-267       | 12,3      | 157,54        |
| 250   | 10        | 271-289       | 14,3      | 172,54        |
| 300   | 12        | 322-340       | 16,2      | 188,61        |

### Couplings-plus range

| Range Romafit | Weight kg | Price Romafit |
|---------------|-----------|---------------|
| 43-64         | 6,4       | 94,30         |
| 63-84         | 7,8       | 96,45         |
| 85-107        | 9,5       | 108,24        |
| 107-134       | 13        | 124,31        |
| 132-160       | 14,5      | 204,69        |
| 159-192       | 20,7      | 217,55        |
|               |           |               |
| 192-227       | 22,4      | 301,14        |
| 218-252       | 25,4      | 334,35        |
|               |           |               |
| 266-300       | 31,8      | 452,23        |
| 315-350       | 36,7      | 498,32        |



### Flange adaptors-wide range

| DN mm | DN inches | Range Romafit | Weight kg | Price Romafit |
|-------|-----------|---------------|-----------|---------------|
| 50    | 2         | 59-73         | 3,6       | 61,62         |
| 65    | 2,5       | 72-85         | 4,3       | 80,69         |
| 80    | 3         | 88-103        | 4,8       | 80,81         |
| 100   | 4         | 108-128       | 5,1       | 83,59         |
| 125   | 5         | 132-146       | 6,7       | 123,24        |
| 125   | 5         | 139-153       | 6,8       | 123,24        |
| 150   | 6         | 159-182       | 8         | 115,74        |
| 175   | 7         | 192-209       | 8,9       | 249,70        |
| 200   | 8         | 218-235       | 9,5       | 161,82        |
| 225   | 9         | 250-267       | 11,4      | 258,27        |
| 250   | 10        | 271-289       | 14,4      | 208,97        |
| 300   | 12        | 322-340       | 18        | 246,48        |

### Flange adaptors-plus range

| Range Romafit plus | Weight kg | Price Romafit |
|--------------------|-----------|---------------|
| 43-64              | 4,4       | 94,30         |
| 63-84              | 5,5       | 96,45         |
| 85-107             | 7,4       | 108,24        |
| 107-134            | 10,8      | 124,31        |
| 132-160            | 11,6      | 204,69        |
| 159-192            | 17,8      | 217,55        |
|                    |           |               |
| 192-227            | 24,3      | 301,14        |
| 218-252            | 26,3      | 334,35        |
|                    |           |               |
| 266-300            | 31,4      | 452,23        |
| 315-350            | 38,5      | 498,32        |



Discount for waterbased primer coating: 10 %

#### Material:

High quality ductile iron GGG 450-10

#### Coating:

Epoxy coating providing a long term corrosion protection along with resistance to abrasion and impact. *Other coatings are available on request*

#### Bolts and nuts:

High grade Steel 8.8 fasteners, coated with Dacromet Grade B 500. Dacromet coating is based on zinc and aluminium flakes that are passivated throughout the entire layer providing excellent anti-corrosion characteristics. *Stainless steel bolts and nuts are available on request*

#### Rubber gaskets:

EPDM Grade E as per BS EN 681-1:1996. *NBR gaskets are available upon request.*

#### Features:

- > Working pressures up to 16 bars
- > Angular deflection 6° for couplings
- > DIN, BS and ANSI in one flange design



## General Terms and conditions Romacon Price-list Euro 2011

All our quotations, all orders placed with us and all contracts concluded with us are subject to the METAALUNIE CONDITIONS, filed with the registrar of the District Court of Rotterdam, as stipulated in the latest text lodged with the said Court.

The conditions of delivery and payment have been sent to you earlier and are in your possession, but if they are not, they will be sent to you again upon request. All agreements are subject to the law of the Netherlands.

All disputes arising from offers and agreements, however such disputes may be called, shall be submitted to the competent Dutch Court

Delivery: Ex works Sint-Oedenrode, the Netherlands (unless agreed upon otherwise)

Packing into double rib cartons on pallets. Seaworthy packing is available on request.

Standard export documents (not legalized by consulate or embassy) are included.

Payment terms: to be agreed upon

This price list is valid for all orders to be received after 1-1-2011 and will remain valid until further notice.

**Romaccon is able to supply non standard sizes and products.**

**Please contact us if you have a requirement for sizes and products that are not mentioned in this pricelist**

Issued December 2010



### **English**

All our quotations, all orders placed with us and all contracts concluded with us, are subject to the METAALUNIE CONDITIONS, as they read according to the text printed on the back. Upon request, the conditions of delivery and payment will be sent to you for free as well.

### **France**

Nos offres, les commandes que nous réservons, ainsi que tous les accords qui sont passés avec nous sont sujets aux CONDITIONS de la METAALUNIE, comme vous pouvez le constater sur le texte imprimé au dos. Sur demande, les conditions de livraison vous seront envoyées gratuitement aussi.

### **German**

Für alle unsere Offerten, alle Aufträge an uns und für alle mit uns abgeschlossenen Verträge gelten die METAALUNIE-BEDINGUNGEN, lautend wie der auf der Rückseite abgedruckte Text. Die Lieferbedingungen werden Ihnen auf Anfrage auch gratis zugeschickt.

### **Nederlands**

Op al onze offertes, op alle opdrachten aan ons en op alle met ons gesloten overeenkomsten zijn de METAALUNIEVOORWAARDEN van toepassing, zoals deze luiden volgens de op de achterzijde afgedrukte tekst. De leveringsvoorwaarden worden u, indien gewenst, tevens kosteloos toegezonden.